

## SBIRT Infographic References

- Babor, T. (2007). Screening, brief intervention, and referral to treatment (SBIRT): Toward a public health approach to the management of substance abuse. *Substance Abuse*, 7–30.
- Babor, T., & Higgins-Biddle, J. (2001). *Brief Intervention for hazardous and harmful drinking; a manual for use in primary care*. WHO. Retrieved from [https://health.uconn.edu/sbirtinstitute/wp-content/uploads/sites/101/2017/01/WHO\\_AUDIT-BI-Manual.pdf](https://health.uconn.edu/sbirtinstitute/wp-content/uploads/sites/101/2017/01/WHO_AUDIT-BI-Manual.pdf)
- Berge KH, S. M. (2009). Chemical dependency and the physician. *Mayo Clin Proc*, 625-631.
- Crawford, C. (2018, June 8). *USPSTF: Screen All Adults for Unhealthy Alcohol Use*. Retrieved from aafp.org: <https://www.aafp.org/news/health-of-the-public/20180608uspstfdraftalcohol.html>
- Del Boca, F. (2017). The SBIRT program matrix: a conceptual framework for program implementation and evaluation. *Addiction*, 12-22. Retrieved from <https://onlinelibrary.wiley.com/doi/full/10.1111/add.13656>
- Ranes, B. (2015, June 1). *Health Care Professionals: Addiction and Treatment*. Retrieved from <https://www.hazeldenbettyford.org/>: <https://www.hazeldenbettyford.org/education/bcr/addiction-research/health-care-professionals-substance-abuse-ru-615>
- SAMHSA. (1997). *A Guide to Substance Abuse Services for Primary Care Clinicians; Treatment Improvement Protocol (TIP) Series, No. 24*. Rockville: SAMHSA. Retrieved from <https://www.ncbi.nlm.nih.gov/books/NBK64820/>
- SAMHSA. (2011, April 11). *Evidence Supporting the Effectiveness of an SBIRT*. Retrieved from samhsa.gov: [https://www.samhsa.gov/sites/default/files/sbirtwhitepaper\\_0.pdf](https://www.samhsa.gov/sites/default/files/sbirtwhitepaper_0.pdf)